

Package: glitr (via r-universe)

November 21, 2024

Title Adorned SI style plots

Version 0.2.9

Description Helps create and export ggplot2 charts in the style used by the GH OHA SI team. Includes multiple styles and themes to tweak plots to user needs. Sample testing data also available.

License MIT + file LICENSE

URL <https://github.com/USAID-OHA-SI/glitr>,
<https://usaid-oha-si.github.io/glitr/>

BugReports <https://github.com/USAID-OHA-SI/glitr/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

Depends R (>= 3.5.0)

Imports systemfonts, ggplot2 (>= 3.3.0), magrittr, scales, usethis, grDevices, cli

Suggests dplyr, forcats, ggtext, knitr, lifecycle, patchwork, purrr, rmarkdown, markdown, sf, testthat, tidyr

Remotes USAID-OHA-SI/gagglr

BuildVignettes false

VignetteBuilder knitr

Roxygen list(markdown = TRUE)

Config/pak/sysreqs libfontconfig1-dev libfreetype6-dev git make libgit2-dev libssl-dev libx11-dev

Repository <https://usaid-oha-si.r-universe.dev>

RemoteUrl <https://github.com/USAID-OHA-SI/glitr>

RemoteRef HEAD

RemoteSha 391b0bb015fdfe836ade18d653da654d0c2a369a

Contents

burnt_sienna	4
burnt_sienna_light	5
cascade	5
color_caption	6
color_gridline	6
color_plot_text	6
color_title	7
denim	7
denim_light	8
electric_indigo	8
genoa	9
genoa_light	9
golden_sand	10
golden_sand_light	10
grey10k	11
grey20k	11
grey30k	12
grey40k	12
grey50k	13
grey60k	13
grey70k	14
grey80k	14
grey90k	15
hfr_mmd	15
hts	16
hts_geo	16
hunter	17
hw_electric_indigo	17
hw_hunter	18
hw_lavender_haze	18
hw_midnight_blue	19
hw_orchid_bloom	19
hw_slate	20
hw_sun_kissed	20
hw_tango	21
hw_viking	21
lavender_haze	22
light_grey	22
matterhorn	23
midnight_blue	23
moody_blue	24
moody_blue_light	24
nero	25
old_rose	25
old_rose_light	26
orchid_bloom	26

pantone_aqua_sky	27
pantone_blue_iris	27
pantone_blue_turquoise	28
pantone_cerulean	28
pantone_chili_pepper	29
pantone_classic_blue	29
pantone_emerald	30
pantone_fuchsia_rose	30
pantone_greenery	31
pantone_honeysuckle	31
pantone_illuminating	32
pantone_living_coral	32
pantone_marsala	33
pantone_mimosa	33
pantone_peach_fuzz	34
pantone_radiant_orchid	34
pantone_rose_quartz	35
pantone_sand_dollar	35
pantone_serenity	36
pantone_tangerine_tango	36
pantone_tigerlily	37
pantone_true_red	37
pantone_turquoise	38
pantone_ultimate_gray	38
pantone_ultra_violet	39
pantone_very_peri	40
pantone_viva_magenta	40
scale_color_si	41
scale_fill_si	42
scooter	43
scooter_light	43
scooter_med	44
si_clear_preview	44
si_legend_color	45
si_legend_fill	46
si_pal	46
si_palettes	47
si_preview	48
si_rampr	49
si_save	49
si_style	51
si_style_map	52
si_style_nolines	53
si_style_transparent	53
si_style_void	54
si_style_xgrid	54
si_style_xline	55
si_style_xyline	56

si_style_ygrid	56
si_style_yline	57
slate	57
sun_kissed	58
suva_grey	59
tango	59
trolley_grey	60
trolley_grey_light	60
usaid_black	61
usaid_blue	61
usaid_darkgrey	62
usaid_lightblue	62
usaid_lightgrey	63
usaid_medblue	63
usaid_medgrey	64
usaid_red	64
viking	65
wapo_dblue	65
wapo_dmauve	66
wapo_dorange	66
wapo_lblue	67
wapo_lgreen	67
wapo_lmauve	68
wapo_lorange	68
wapo_lorange2	69
wapo_lpurple	69
wapo_pushpop	70
whisper	70

Index **71**

burnt_sienna	<i>burnt sienna</i>
--------------	---------------------

Description

SIEI burnt sienna

Usage

burnt_sienna

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

<code>burnt_sienna_light</code>	<i>burnt sienna light</i>
---------------------------------	---------------------------

Description

SIEI burnt sienna light

Usage

`burnt_sienna_light`

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

<code>cascade</code>	<i>Cascade Indicators</i>
----------------------	---------------------------

Description

Masked & subset MSD data on the clinical cascade for Saturn Operating Unit (Total Numerators only). Data sourced from ICPI/TrainingDataset.

Usage

`cascade`

Format

A data frame with six variables: `operatingunit`, `prime_partner_name`, `indicator`, `period`, `period_type`, and `value`.

color_caption	<i>Color caption default</i>
---------------	------------------------------

Description

sets color caption

Usage

color_caption

Format

An object of class character of length 1.

color_gridline	<i>Gridline color default</i>
----------------	-------------------------------

Description

sets gridline colors

Usage

color_gridline

Format

An object of class character of length 1.

color_plot_text	<i>Plot color default</i>
-----------------	---------------------------

Description

sets plot color text

Usage

color_plot_text

Format

An object of class character of length 1.

color_title	<i>Title color default</i>
-------------	----------------------------

Description

sets title color

Usage

```
color_title
```

Format

An object of class character of length 1.

denim	<i>denim</i>
-------	--------------

Description

SIEI denim

Usage

```
denim
```

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

denim_light	<i>denim light</i>
-------------	--------------------

Description

SIEI denim light

Usage

denim_light

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

electric_indigo	<i>electric_indigo hemsworth electric_indigo</i>
-----------------	--------------------------------------------------

Description

electric_indigo hemsworth electric_indigo

Usage

electric_indigo

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

genoa	<i>genoa (green)</i>
-------	----------------------

Description

SIEI genoa

Usage

genoa

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

genoa_light	<i>genoa light (green)</i>
-------------	----------------------------

Description

SIEI genoa light

Usage

genoa_light

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

<code>golden_sand</code>	<i>golden sand</i>
--------------------------	--------------------

Description

SIEI golden sand

Usage

`golden_sand`

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

<code>golden_sand_light</code>	<i>golden sand light</i>
--------------------------------	--------------------------

Description

SIEI golden sand light

Usage

`golden_sand_light`

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

`grey10k`*grey10k*

Description

One of the nine shades of grey included. The lower the k-value, the lighter the shade. `grey10k` is the lightest grey. hex value: "#E6E7E8". Useful for light reference lines, boxes or other areas.

Usage`grey10k`**Format**

An object of class character of length 1.

See Also

Other greys: [grey20k](#), [grey30k](#), [grey40k](#), [grey50k](#), [grey60k](#), [grey70k](#), [grey80k](#), [grey90k](#)

`grey20k`*grey20k*

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#d1d3d4"

Usage`grey20k`**Format**

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey30k](#), [grey40k](#), [grey50k](#), [grey60k](#), [grey70k](#), [grey80k](#), [grey90k](#)

`grey30k``grey30k`

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#BCBEC0"

Usage`grey30k`**Format**

An object of class character of length 1.

Details

One of the nine shades of grey included.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey40k](#), [grey50k](#), [grey60k](#), [grey70k](#), [grey80k](#), [grey90k](#)

`grey40k``grey40k`

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#a7a9ac"

Usage`grey40k`**Format**

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey30k](#), [grey50k](#), [grey60k](#), [grey70k](#), [grey80k](#), [grey90k](#)

`grey50k`*grey50k*

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#939598"

Usage`grey50k`**Format**

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey30k](#), [grey40k](#), [grey60k](#), [grey70k](#), [grey80k](#), [grey90k](#)

`grey60k`*grey60k*

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#808080"

Usage`grey60k`**Format**

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey30k](#), [grey40k](#), [grey50k](#), [grey70k](#), [grey80k](#), [grey90k](#)

grey70k

grey70k

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#6d6e71"

Usage

grey70k

Format

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey30k](#), [grey40k](#), [grey50k](#), [grey60k](#), [grey80k](#), [grey90k](#)

grey80k

grey80k

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. hex value: "#58595b"

Usage

grey80k

Format

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey30k](#), [grey40k](#), [grey50k](#), [grey60k](#), [grey70k](#), [grey90k](#)

grey90k	<i>grey90k</i>
---------	----------------

Description

One of the nine shades of grey included. The lower (higher) the k-value, the lighter (darker) the shade. grey90k is the darkest grey. hex value: "#414042"

Usage

grey90k

Format

An object of class character of length 1.

See Also

Other greys: [grey10k](#), [grey20k](#), [grey30k](#), [grey40k](#), [grey50k](#), [grey60k](#), [grey70k](#), [grey80k](#)

hfr_mmd	<i>HFR Multi-Month Dispensing (MMD) data</i>
---------	----------------------------------------------

Description

Masked & subset HFR data on the MMD for Saturn Operating Unit (no age/sex). Data sourced masked in a similar manner as the ICPI/TrainingDataset.

Usage

hfr_mmd

Format

A data frame with 12 variables and 243 rows

date start of month for month reporting

fiscal_year current fiscal year of reporting

hfr_pd reporting period, month number in FY calendar

operatingunit PEPFAR Operating Unit

snu1 PEPFAR sub national unit 1 below national level

psnu PEPFAR prioritization sub national unit

mech_code PEPFAR mechanism code

tx_curr reporting period value for patients on treatment

tx_mmd.o3mo reporting period value for patients on 3 months or more of Rx dispensing
tx_mmd.u3mo reporting period value for patients on under 3 months of Rx dispensing
tx_mmd.unk reporting period value for patients with unknown months of Rx dispensing
share_tx_mmd.o3mo reporting period share of treatment patients on 3 months or more of Rx dispensing

hts *Testing (HTS_TST & HTS_TST_POS) Indicators*

Description

Masked & subset MSD data on the testing indicators and their modalities for Saturn Operating Unit (Modality/Age/Sex/Result). Data sourced from ICPI/TrainingDataset.

Usage

hts

Format

A data frame with seven variables: `operatingunit`, `prime_partner_name`, `indicator`, `modality`, `period`, `period_type`, and `value`.

hts_geo *Spatial data for mapping testing indicators*

Description

Mock spatial data for partners operating geographies for Saturn Data sourced from hts and rnatu-ralearth (Slovenia, Jugovzhodna Slovenija).

Usage

hts_geo

Format

A spatial data frame with three variables and geometry: `iso_no`, `prime_partner_name`, `iso_1`, `geometry`,

hunter *hunter hemsworth hunter*

Description

hunter hemsworth hunter

Usage

hunter

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_electric_indigo *electric_indigo hemsworth electric_indigo*

Description

electric_indigo hemsworth electric_indigo

Usage

hw_electric_indigo

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_hunter	<i>hunter hemsworth hunter</i>
-----------	--------------------------------

Description

hunter hemsworth hunter

Usage

hw_hunter

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_lavender_haze	<i>lavender_haze hemsworth lavender_haze</i>
------------------	----------------------------------------------

Description

lavender_haze hemsworth lavender_haze

Usage

hw_lavender_haze

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_midnight_blue *midnight_blue hemsworth midnight_blue*

Description

midnight_blue hemsworth midnight_blue

Usage

hw_midnight_blue

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_orchid_bloom *orchid_bloom hemsworth orchid_bloom*

Description

orchid_bloom hemsworth orchid_bloom

Usage

hw_orchid_bloom

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_slate	<i>slate hemsworth slate</i>
----------	------------------------------

Description

slate hemsworth slate

Usage

hw_slate

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_sun_kissed	<i>sun_kissed hemsworth sun_kissed</i>
---------------	----------------------------------------

Description

sun_kissed hemsworth sun_kissed

Usage

hw_sun_kissed

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_tango	<i>tango hemsworth tango</i>
----------	------------------------------

Description

tango hemsworth tango

Usage

hw_tango

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

hw_viking	<i>viking hemsworth viking aka baldwin scooter_med</i>
-----------	--------------------------------------------------------

Description

viking hemsworth viking aka baldwin scooter_med

Usage

hw_viking

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

lavender_haze	<i>lavender_haze hemsworth lavender_haze</i>
---------------	----------------------------------------------

Description

lavender_haze hemsworth lavender_haze

Usage

lavender_haze

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

light_grey	<i>light grey</i>
------------	-------------------

Description

SIEI light grey

Usage

light_grey

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

matterhorn	<i>matterhorn</i>
------------	-------------------

Description

SIEI matterhorn

Usage

matterhorn

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

midnight_blue	<i>midnight_blue hemsworth midnight_blue</i>
---------------	----------------------------------------------

Description

midnight_blue hemsworth midnight_blue

Usage

midnight_blue

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

moody_blue

moody blue

Description

SIEI moody blue

Usage

moody_blue

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

moody_blue_light

moody blue light

Description

SIEI moody blue light

Usage

moody_blue_light

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

nero

nero

Description

SIEI nero

Usage

nero

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

old_rose

old rose light

Description

SIEI old rose

Usage

old_rose

Format

An object of class character of length 1.

old_rose_light	<i>old rose light</i>
----------------	-----------------------

Description

SIEI old rose light

Usage

old_rose_light

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

orchid_bloom	<i>orchid_bloom hemsworth orchid_bloom</i>
--------------	--------------------------------------------

Description

orchid_bloom hemsworth orchid_bloom

Usage

orchid_bloom

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

pantone_aqua_sky *aqua sky Pantone Color of the Year 2003*

Description

aqua sky Pantone Color of the Year 2003

Usage

pantone_aqua_sky

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_blue_iris *blue iris Pantone Color of the Year 2008*

Description

blue iris Pantone Color of the Year 2008

Usage

pantone_blue_iris

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_blue_turquoise

blue_turquoise Pantone Color of the Year 2005

Description

blue_turquoise Pantone Color of the Year 2005

Usage

pantone_blue_turquoise

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_cerulean

cerulean Pantone Color of the Year 2000

Description

cerulean Pantone Color of the Year 2000

Usage

pantone_cerulean

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

`pantone_chili_pepper` *chili pepper Pantone Color of the Year 2007*

Description

chili pepper Pantone Color of the Year 2007

Usage

`pantone_chili_pepper`

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

`pantone_classic_blue` *classic blue Pantone Color of the Year 2020*

Description

classic blue Pantone Color of the Year 2020

Usage

`pantone_classic_blue`

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_emerald *emerald Pantone Color of the Year 2013*

Description

emerald Pantone Color of the Year 2013

Usage

pantone_emerald

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_fuchsia_rose *fuchsia rose Pantone Color of the Year 2001*

Description

fuchsia rose Pantone Color of the Year 2001

Usage

pantone_fuchsia_rose

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

antone_greenery *greenery Pantone Color of the Year 2017*

Description

greenery Pantone Color of the Year 2017

Usage

antone_greenery

Format

An object of class character of length 1.

See Also

Other *antone*: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_turquoise](#), [antone_ultimate_gray](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

antone_honeysuckle *honeysuckle Pantone Color of the Year 2010*

Description

honeysuckle Pantone Color of the Year 2010

Usage

antone_honeysuckle

Format

An object of class character of length 1.

See Also

Other *antone*: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_turquoise](#), [antone_ultimate_gray](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

pantone_illuminating *illuminating Pantone Color of the Year 2021*

Description

illuminating Pantone Color of the Year 2021

Usage

pantone_illuminating

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_living_coral *living coral Pantone Color of the Year 2019*

Description

living coral Pantone Color of the Year 2019

Usage

pantone_living_coral

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_marsala	<i>marsala Pantone Color of the Year 2015</i>
-----------------	-----------------------------------------------

Description

marsala Pantone Color of the Year 2015

Usage

pantone_marsala

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_mimosa	<i>mimosa Pantone Color of the Year 2009</i>
----------------	----------------------------------------------

Description

mimosa Pantone Color of the Year 2009

Usage

pantone_mimosa

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_peach_fuzz *peach_fuzz Pantone Color of the Year 2024*

Description

peach_fuzz Pantone Color of the Year 2024

Usage

pantone_peach_fuzz

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_radiant_orchid *radiant_orchid Pantone Color of the Year 2014*

Description

radiant_orchid Pantone Color of the Year 2014

Usage

pantone_radiant_orchid

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

antone_rose_quartz *rose quartz Pantone Color of the Year 2016*

Description

rose quartz Pantone Color of the Year 2016

Usage

antone_rose_quartz

Format

An object of class character of length 1.

See Also

Other *antone*: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_turquoise](#), [antone_ultimate_gray](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

antone_sand_dollar *sand dollar Pantone Color of the Year 2006*

Description

sand dollar Pantone Color of the Year 2006

Usage

antone_sand_dollar

Format

An object of class character of length 1.

See Also

Other *antone*: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_turquoise](#), [antone_ultimate_gray](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

pantone_serenity *serenity Pantone Color of the Year 2016*

Description

serenity Pantone Color of the Year 2016

Usage

pantone_serenity

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_tangerine_tango *tangerine tango Pantone Color of the Year 2012*

Description

tangerine tango Pantone Color of the Year 2012

Usage

pantone_tangerine_tango

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_tigerlily *tigerlilly Pantone Color of the Year 2004*

Description

tigerlilly Pantone Color of the Year 2004

Usage

pantone_tigerlily

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#), [pantone_viva_magenta](#)

pantone_true_red *true_red Pantone Color of the Year 2002*

Description

true_red Pantone Color of the Year 2002

Usage

pantone_true_red

Format

An object of class character of length 1.

See Also

Other antone: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_turquoise](#), [antone_ultimate_gray](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

`antone_turquoise` *turquoise Pantone Color of the Year 2011*

Description

turquoise Pantone Color of the Year 2011

Usage

`antone_turquoise`

Format

An object of class character of length 1.

See Also

Other antone: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_ultimate_gray](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

`antone_ultimate_gray` *ultimate gray Pantone Color of the Year 2021*

Description

ultimate gray Pantone Color of the Year 2021

Usage

`antone_ultimate_gray`

Format

An object of class character of length 1.

See Also

Other antone: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_turquoise](#), [antone_ultra_violet](#), [antone_very_peri](#), [antone_viva_magenta](#)

antone_ultra_violet *ultra violet Pantone Color of the Year 2018*

Description

ultra violet Pantone Color of the Year 2018

Usage

`antone_ultra_violet`

Format

An object of class character of length 1.

See Also

Other antone: [antone_aqua_sky](#), [antone_blue_iris](#), [antone_blue_turquoise](#), [antone_cerulean](#), [antone_chili_pepper](#), [antone_classic_blue](#), [antone_emerald](#), [antone_fuchsia_rose](#), [antone_greenery](#), [antone_honeysuckle](#), [antone_illuminating](#), [antone_living_coral](#), [antone_marsala](#), [antone_mimosa](#), [antone_peach_fuzz](#), [antone_radiant_orchid](#), [antone_rose_quartz](#), [antone_sand_dollar](#), [antone_serenity](#), [antone_tangerine_tango](#), [antone_tigerlily](#), [antone_true_red](#), [antone_turquoise](#), [antone_ultimate_gray](#), [antone_very_peri](#), [antone_viva_magenta](#)

pantone_very_peri *very peri Pantone Color of the Year 2022*

Description

very peri Pantone Color of the Year 2022

Usage

pantone_very_peri

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_viva_magenta](#)

pantone_viva_magenta *viva magenta Pantone Color of the Year 2023*

Description

viva magenta Pantone Color of the Year 2023

Usage

pantone_viva_magenta

Format

An object of class character of length 1.

See Also

Other pantone: [pantone_aqua_sky](#), [pantone_blue_iris](#), [pantone_blue_turquoise](#), [pantone_cerulean](#), [pantone_chili_pepper](#), [pantone_classic_blue](#), [pantone_emerald](#), [pantone_fuchsia_rose](#), [pantone_greenery](#), [pantone_honeysuckle](#), [pantone_illuminating](#), [pantone_living_coral](#), [pantone_marsala](#), [pantone_mimosa](#), [pantone_peach_fuzz](#), [pantone_radiant_orchid](#), [pantone_rose_quartz](#), [pantone_sand_dollar](#), [pantone_serenity](#), [pantone_tangerine_tango](#), [pantone_tigerlily](#), [pantone_true_red](#), [pantone_turquoise](#), [pantone_ultimate_gray](#), [pantone_ultra_violet](#), [pantone_very_peri](#)

scale_color_si	<i>scale_color_si</i>
----------------	-----------------------

Description

SIEI colors available through `scale_color_si`

Usage

```
scale_color_si(  
  palette = "hunter_c",  
  alpha = 1,  
  discrete = FALSE,  
  reverse = FALSE,  
  na.value = slate,  
  ...  
)
```

Arguments

<code>palette</code>	Choose from 'si_palettes' list
<code>alpha</code>	sets transparency of each color
<code>discrete</code>	whether to use a discrete color palette
<code>reverse</code>	if true, reverses the order of palette
<code>na.value</code>	color for NA values, default = slate
<code>...</code>	additional arguments to pass to <code>scale_color_gradientn</code>

Details

siei color scales for `ggplot2`

Examples

```
## Not run:  
library(ggplot2)  
library(glittr)  
  
# Apply palettes to discrete or continuous colors  
ggplot(diamonds) +  
  geom_point(aes(x = carat, y = price, color = cut)) +  
  scale_color_si("hunter_c", discrete = T)  
  
ggplot(diamonds) +  
  geom_point(aes(x = carat, y = price, color = price)) +  
  scale_color_si("hunter_c")  
## End(Not run)
```

scale_fill_si *scale_fill_si*

Description

SIEI colors available through `scale_fill_si`

Usage

```
scale_fill_si(
  palette = "hunter_c",
  alpha = 1,
  discrete = FALSE,
  reverse = FALSE,
  na.value = slate,
  ...
)
```

Arguments

<code>palette</code>	Choose from 'si_palettes' list
<code>alpha</code>	sets transparency of each color
<code>discrete</code>	whether to use a discrete colour palette
<code>reverse</code>	if TRUE, reverses order of palette
<code>na.value</code>	color for NA values, default = slate
<code>...</code>	additional arguments to pass to <code>scale_color_gradientn</code>

Examples

```
## Not run:
library(ggplot2)
library(tibble)
library(sf)
library(rnaturalearth)
library(glitr)
library(systemfonts)

ggplot(diamonds) +
  geom_bar(aes(x = cut, fill = clarity)) +
  scale_fill_si("hunter_c", discrete = T)

rnaturalearth::ne_countries(continent = "africa", returnclass = "sf") %>%
  add_column(runif = runif(nrow(.))) %>%
  ggplot() +
  geom_sf(aes(fill = runif), color = "white", size = 0.25) +
  scale_fill_si("orchid_bloom_c", reverse = T) +
  si_style_void()
```

```
## End(Not run)
```

scooter	<i>scooter</i>
---------	----------------

Description

SIEI scooter

Usage

```
scooter
```

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

scooter_light	<i>scooter light</i>
---------------	----------------------

Description

SIEI scooter light

Usage

```
scooter_light
```

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

scooter_med

scooter medium

Description

SIEI scooter medium

Usage

scooter_med

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

si_clear_preview

Clear out Plot Previews

Description

Cleans out the temporary folder of any temporary plots. The temporary folder is removed when the session ends, but it may be useful to remove extraneous previews taking up space and slowing down processing in the session.

Usage

si_clear_preview()

See Also

Other saving: [si_preview\(\)](#), [si_save\(\)](#)

Examples

```
## Not run:
library(systemfonts)
hts %>%
  dplyr::filter(period_type == "results",
                indicator == "HTS_TST_P0S") %>%
  ggplot2::ggplot(aes(period, value)) +
  ggplot2::geom_col() +
  ggplot2::facet_wrap(~forcats::fct_reorder2(modality, period, value)) +
  ggplot2::labs(x = NULL, y = NULL,
               title = "Saturn experienced a drop in Index testing in FY50Q1" %>% toupper,
               subtitle = "Saturn, folks!",
               caption = "Source: FY50Q1i MSD") +
  si_style_nolines()

si_preview()

si_clear_preview()
## End(Not run)
```

si_legend_color	<i>SI legend for color aesthetics</i>
-----------------	---------------------------------------

Description

[Experimental] Function attempts to create a well formatted color-based legend to adorn an existing plot.

Usage

```
si_legend_color()
```

Details

This helper function compliments the various [si_style\(\)](#) themes. The main action is to move a fill-based legend to the top left of the plot and stretch the legend. The same action can be done using the [ggplot2::guides\(\)](#) function.

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, color = Sepal.Width)) +
```

```
geom_point(size = 4) + si_legend_color() + si_style()
## End(Not run)
```

si_legend_fill	<i>SI legend for fill aesthetics</i>
----------------	--------------------------------------

Description

[Experimental] Function attempts to create a well formatted color-based legend to adorn an existing plot.

Usage

```
si_legend_fill()
```

Details

This helper function compliments the various `si_style()` themes. The main action is to move a fill-based legend to the top left of the plot and stretch the legend. The same action can be done using the `ggplot2::guides()` function.

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, fill = Sepal.Width)) +
  geom_point(shape = 21, size = 4) + si_legend_fill() + si_style()
## End(Not run)
```

si_pal	<i>siei palette with ramped colors</i>
--------	----------------------------------------

Description

Helper function to incorporate siei colors into scale fills

Usage

```
si_pal(palette = "siei", alpha = 1, reverse = FALSE)
```

Arguments

palette	Choose from 'si_palettes' list
alpha	sets transparency of each color
reverse	if true, reverses the order of palette

 si_palettes

List of SI Color Palettes

Description

Sets of color palettes that have been collected by the SI team. Includes all colors from the SIEI data visualization guide and a few additional palettes. Colors are stored as a named list. Use palette name or position to call in colors.

Color sets are stored as the name of the first color. Calling `si_palettes$viking_d` will return the five color palette where viking is the base. Calling `si_palettes$viking_c` will return an interpolated ramp of 10 colors for viking. Calling `si_palettes$viking_t` will return viking and four tints at 80%, 60%, 40%, and 20%. See the SIEI data visualization guide for additional details.

Usage

```
si_palettes
```

Format

An object of class `list` of length 74.

See Also

[si_rampr](#) for details on creating interpolated palettes of varying lengths.

Examples

```
## Not run:
library(scales)

# List names of palettes available
names(si_palettes)

show_col(si_palettes$siei)
show_col(si_palettes$lavender_haze_d)
show_col(si_palettes$hunter_t)
show_col(si_palettes$sun_kissed_c)

# Show palettes interpolated
si_rampr("carto_div_earth", n = 10) %>% show_col(labels = T)
si_rampr("carto_div_earth", n = 100) %>% show_col(labels = FALSE)

## End(Not run)
```

 si_preview

Preview Plot Output

Description

Saves and launches a temporary file to see how the sizing and layout of all aesthetics, e.g. font size, shape size, etc, look when exported from the IDE preview.

Usage

```
si_preview(scale = 1, width = 10, height = 5.625, dpi = 320, ...)
```

Arguments

scale	Multiplicative scaling factor.
width	plot width in inches, default = 10
height	plot height in inches, default = 5.625
dpi	plot resolution
...	additional arguments to that pass to ggsave

Value

saves and previews a png output

See Also

Other saving: [si_clear_preview\(\)](#), [si_save\(\)](#)

Examples

```
## Not run:
library(systemfonts)
hts %>%
  dplyr::filter(period_type == "results",
                indicator == "HTS_TST_POS") %>%
  ggplot2::ggplot(aes(period, value)) +
  ggplot2::geom_col() +
  ggplot2::facet_wrap(~forcats::fct_reorder2(modality, period, value)) +
  ggplot2::labs(x = NULL, y = NULL,
                title = "Saturn experienced a drop in Index testing in FY50Q1" %>% toupper,
                subtitle = "Saturn, folks!",
                caption = "Source: FY50Q1i MSD") +
  si_style_nolines()

si_preview()

si_clear_preview()
## End(Not run)
```

`si_rampr`*Palette interpolation*

Description

Generate a palette by linear interpolation. If a discrete palette is selected, colors are recycled to the length of the desired vector.

Usage

```
si_rampr(pal_name = "siei", n, alpha = 1, reverse = FALSE)
```

Arguments

<code>pal_name</code>	name of the palette
<code>n</code>	number of interpolation points
<code>alpha</code>	sets transparency of each color
<code>reverse</code>	if true, reverses order

Details

Chooses palette to use with `ggplot2`

Examples

```
## Not run:  
#View different interpolations of palettes  
si_rampr("denims") %>% scales::show_col()  
si_rampr("denims", n = 10) %>% scales::show_col()  
si_rampr("denims", n = 100)  
  
## End(Not run)
```

`si_save`*Save Plot*

Description

Wrapper around `ggplot2::ggsave` with SI standards

Usage

```
si_save(
  filename,
  plot = last_plot(),
  path = NULL,
  scale = 1,
  width = 10,
  height = 5.625,
  dpi = 320,
  ...
)
```

Arguments

filename	File name to create on disk, png unless otherwise specified
plot	Plot to save, defaults to last plot displayed.
path	Path of the directory to save plot to: path and filename are combined to create the fully qualified file name. Defaults to the working directory.
scale	Multiplicative scaling factor.
width	plot width in inches, default = 10
height	plot height in inches, default = 5.625
dpi	plot resolution
...	additional arguments to that pass to ggsave

Value

exports a file with SI dimensions

See Also

Other saving: [si_clear_preview\(\)](#), [si_preview\(\)](#)

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +
  geom_point() + si_style()
#default save
si_save("out/sepal.png")
#defaults to png if not specified (.pdf, .svg, .jpeg)
si_save("out/sepal")
#change the width
si_save("out/sepal.jpeg", width = 5)
## End(Not run)
```

Description

This function adorns your ggplot to convert it into a SI style plot. The default font is Source Sans Pro

Usage

```
si_style(  
  font_title,  
  font_subtitle,  
  font_plot,  
  font_caption,  
  facet_space = 2,  
  text_scale = 1,  
  FO = FALSE,  
  ...  
)
```

Arguments

font_title	font family for titles, defaults to Source Sans Pro/Arial
font_subtitle	font family for subtitles, defaults to Source Sans Pro/Arial
font_plot	font family for the plot space, defaults to Source Sans Pro/Arial
font_caption	font family for captions, defaults to Source Sans Pro/Arial
facet_space	controls how far apart facets are from each other
text_scale	scalar that will grow/shrink all text defined within
FO	make everything black (why, who knows)
...	pass any parameters from theme that are not already defined within

Examples

```
## Not run:  
library(systemfonts)  
library(ggplot2)  
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +  
  geom_point() + si_style()  
  
## End(Not run)
```

`si_style_map`*Create Standard SI Map*

Description

Create Standard SI Map

Usage

```
si_style_map(...)
```

Arguments

... inherits parameters from `si_style()`

Examples

```
## Not run:

library(systemfonts)
library(tidyverse)
library(glittr)
library(gisr)
library(sf)

sdf <- gisr::get_admin1("Nigeria") %>%
  select(name) %>%
  mutate(value = runif(nrow(.), 0, 1))

ggplot() +
  geom_sf(data = sdf,
          aes(fill = value),
          color = grey10k,
          size = .1) +
  scale_fill_si(palette = "genoas",
               discrete = FALSE,
               limits = c(0, 1),
               labels = scales::percent) +
  labs(title = "NIGERIA - % OF PLHIV BY STATE",
       subtitle = "States from XYZ Region are the most hit by HIV/AIDS",
       caption = base::paste0("Produced by OHA/SIEI/SI, ON ", base::Sys.Date())) +
  si_style_map() +
  si_legend_fill()

## End(Not run)
```

si_style_nolines *SI style plot with blank canvass*

Description

Incorporates the default si_style graph and strips all gridlines. Useful for when you want to focus attention on a few parts of a plot – such as a bar graph with fewer than four categories.

Usage

```
si_style_nolines(...)
```

Arguments

... inherits parameters from `si_style()`

Examples

```
## Not run:  
library(systemfonts)  
library(ggplot2)  
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +  
  geom_point() + si_style_nolines()  
  
## End(Not run)
```

si_style_transparent *Create ggplot with transparent background*

Description

Create ggplot with transparent background

Usage

```
si_style_transparent(...)
```

Arguments

... inherits parameters from `si_style()`

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +
  geom_point() + si_style_transparent()

## End(Not run)
```

si_style_void *Create ggplot with no axes or no grid lines*

Description

Create ggplot with no axes or no grid lines

Usage

```
si_style_void(...)
```

Arguments

... inherits parameters from [si_style\(\)](#)

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +
  geom_point() + si_style_void()

## End(Not run)
```

si_style_xgrid *SI style plot with only x-axis gridlines*

Description

Incorporates the default si_style graph and modifies it to include on x-axis gridlines. Useful for when you are highlighting a vertical comparison, such as rotated bar graphs

Usage

```
si_style_xgrid(...)
```

Arguments

... inherits parameters from [si_style\(\)](#)

Examples

```
## Not run:  
library(systemfonts)  
library(ggplot2)  
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +  
  geom_point() + si_style_xgrid()  
  
## End(Not run)
```

si_style_xline	<i>SI style plot with x-axis line drawn</i>
----------------	---------------------------------------------

Description

May be used in place of `si_style_blank` if you would like to anchor the x-axis.

Usage

```
si_style_xline(...)
```

Arguments

... inherits parameters from [si_style\(\)](#)

Examples

```
## Not run:  
library(systemfonts)  
library(ggplot2)  
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +  
  geom_point() + si_style_xline()  
  
## End(Not run)
```

si_style_xyline	<i>Create Standard SI Plots showing only both x and y axis lines</i>
-----------------	----------------------------------------------------------------------

Description

Create Standard SI Plots showing only both x and y axis lines

Usage

```
si_style_xyline(...)
```

Arguments

... inherits parameters from [si_style\(\)](#)

Examples

```
## Not run:  
library(systemfonts)  
library(ggplot2)  
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +  
  geom_point() + si_style_xyline()  
  
## End(Not run)
```

si_style_ygrid	<i>SI style plot with only y-axis gridlines</i>
----------------	-------------------------------------------------

Description

Incorporates the default si_style graph and modifies it to include on y-axis gridlines. Useful for when you are highlighting a horizontal comparison.

Usage

```
si_style_ygrid(...)
```

Arguments

... inherits parameters from [si_style\(\)](#)

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +
  geom_point() + si_style_ygrid()

## End(Not run)
```

si_style_yline	<i>SI style plot with y-axis line drawn</i>
----------------	---------------------------------------------

Description

May be used in place of `si_style_blank` if you would like to anchor the y-axis.

Usage

```
si_style_yline(...)
```

Arguments

... inherits parameters from `si_style()`

Examples

```
## Not run:
library(systemfonts)
library(ggplot2)
ggplot(iris, aes(Sepal.Length, y = Sepal.Width, colour = Species)) +
  geom_point() + si_style_yline()

## End(Not run)
```

slate	<i>slate hemsworth slate</i>
-------	------------------------------

Description

slate hemsworth slate

Usage

```
slate
```

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

sun_kissed

sun_kissed hemsworth sun_kissed

Description

sun_kissed hemsworth sun_kissed

Usage

sun_kissed

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

suva_grey	<i>suva grey</i>
-----------	------------------

Description

SIEI suva grey

Usage

suva_grey

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

tango	<i>tango hemsworth tango</i>
-------	------------------------------

Description

tango hemsworth tango

Usage

tango

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#), [whisper](#)

<code>trolley_grey</code>	<i>trolley grey</i>
---------------------------	---------------------

Description

SIEI trolley grey

Usage

`trolley_grey`

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey_light](#), [viking](#), [whisper](#)

<code>trolley_grey_light</code>	<i>trolley grey light</i>
---------------------------------	---------------------------

Description

SIEI trolley grey light

Usage

`trolley_grey_light`

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [viking](#), [whisper](#)

usaidtheme_black	<i>USAID theme black</i>
------------------	--------------------------

Description

USAID theme black "#212721"

Usage

```
usaidtheme_black
```

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaidtheme_blue](#), [usaidtheme_darkgrey](#), [usaidtheme_lightblue](#), [usaidtheme_lightgrey](#), [usaidtheme_medblue](#), [usaidtheme_medgrey](#), [usaidtheme_red](#)

usaidtheme_blue	<i>USAID theme blue</i>
-----------------	-------------------------

Description

USAID theme blue "#002a6c"

Usage

```
usaidtheme_blue
```

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaidtheme_black](#), [usaidtheme_darkgrey](#), [usaidtheme_lightblue](#), [usaidtheme_lightgrey](#), [usaidtheme_medblue](#), [usaidtheme_medgrey](#), [usaidtheme_red](#)

usaidthdarkgrey *USAID dark grey*

Description

USAID dark grey "#6c6463"

Usage

usaidthdarkgrey

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaidthblack](#), [usaidthblue](#), [usaidthlightblue](#), [usaidthlightgrey](#), [usaidthmedblue](#), [usaidthmedgrey](#), [usaidthred](#)

usaidthlightblue *USAID light blue*

Description

USAID light blue "#a7c6ed"

Usage

usaidthlightblue

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaidthblack](#), [usaidthblue](#), [usaidthdarkgrey](#), [usaidthlightgrey](#), [usaidthmedblue](#), [usaidthmedgrey](#), [usaidthred](#)

usaids_lightgrey	<i>USAID light grey</i>
------------------	-------------------------

Description

USAID light grey "#cfc9c9"

Usage

```
usaids_lightgrey
```

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaids_black](#), [usaids_blue](#), [usaids_darkgrey](#), [usaids_lightblue](#), [usaids_medblue](#), [usaids_medgrey](#), [usaids_red](#)

usaids_medblue	<i>USAID medium blue</i>
----------------	--------------------------

Description

USAID medium blue "#0067b9"

Usage

```
usaids_medblue
```

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaids_black](#), [usaids_blue](#), [usaids_darkgrey](#), [usaids_lightblue](#), [usaids_lightgrey](#), [usaids_medgrey](#), [usaids_red](#)

usaidtheme_medgrey	<i>USAID med grey</i>
--------------------	-----------------------

Description

USAID med grey "#8C8985"

Usage

```
usaidtheme_medgrey
```

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaidtheme_black](#), [usaidtheme_blue](#), [usaidtheme_darkgrey](#), [usaidtheme_lightblue](#), [usaidtheme_lightgrey](#), [usaidtheme_medblue](#), [usaidtheme_red](#)

usaidtheme_red	<i>USAID red</i>
----------------	------------------

Description

USAID red "#ba0c2f"

Usage

```
usaidtheme_red
```

Format

An object of class character of length 1.

See Also

Other USAID colors: [usaidtheme_black](#), [usaidtheme_blue](#), [usaidtheme_darkgrey](#), [usaidtheme_lightblue](#), [usaidtheme_lightgrey](#), [usaidtheme_medblue](#), [usaidtheme_medgrey](#)

viking	<i>viking hemsworth viking aka baldwin scooter_med</i>
--------	--------------------------------------------------------

Description

viking hemsworth viking aka baldwin scooter_med

Usage

viking

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [whisper](#)

wapo_dblue	<i>wapo inspired dark blue</i>
------------	--------------------------------

Description

wapo inspired dark blue "#3579A8"

Usage

wapo_dblue

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

wapo_dmauve

wapo inspired dark mauve

Description

wapo inspired dark mauve "#B68AB8"

Usage

wapo_dmauve

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

wapo_dorange

wapo inspired dark orange

Description

wapo inspired dark orange "#DC7C33"

Usage

wapo_dorange

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

`wapo_lblue`*wapo inspired light blue*

Description

wapo inspired light blue "#B4D5E5"

Usage

`wapo_lblue`

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

`wapo_lgreen`*wapo inspired light green*

Description

wapo inspired light green "#B5D1D0"

Usage

`wapo_lgreen`

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

wapo_lmauve

wapo inspired light mauve

Description

wapo inspired light mauve "#D8B3D4"

Usage

wapo_lmauve

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

wapo_lorange

wapo inspired light orange

Description

wapo inspired light orange "#F4AB67"

Usage

wapo_lorange

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#), [wapo_pushpop](#)

`wapo_lorange2`*wapo inspired light orange 2*

Description

wapo inspired light orange "#EFCAB4"

Usage

`wapo_lorange2`

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lpurple](#), [wapo_pushpop](#)

`wapo_lpurple`*wapo inspired light purple*

Description

wapo inspired purple "#C7ABC7"

Usage

`wapo_lpurple`

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_pushpop](#)

wapo_pushpop	<i>wapo inspired pushpop orange</i>
--------------	-------------------------------------

Description

wapo inspired push-popish orange "#FEC693"

Usage

wapo_pushpop

Format

An object of class character of length 1.

See Also

Other Washington Post inspired: [wapo_dblue](#), [wapo_dmauve](#), [wapo_dorange](#), [wapo_lblue](#), [wapo_lgreen](#), [wapo_lmauve](#), [wapo_lorange](#), [wapo_lorange2](#), [wapo_lpurple](#)

whisper	<i>whisper</i>
---------	----------------

Description

SIEI whisper

Usage

whisper

Format

An object of class character of length 1.

See Also

Other SIEI classic colors: [burnt_sienna](#), [burnt_sienna_light](#), [denim](#), [denim_light](#), [electric_indigo](#), [genoa](#), [genoa_light](#), [golden_sand](#), [golden_sand_light](#), [hunter](#), [hw_electric_indigo](#), [hw_hunter](#), [hw_lavender_haze](#), [hw_midnight_blue](#), [hw_orchid_bloom](#), [hw_slate](#), [hw_sun_kissed](#), [hw_tango](#), [hw_viking](#), [lavender_haze](#), [light_grey](#), [matterhorn](#), [midnight_blue](#), [moody_blue](#), [moody_blue_light](#), [nero](#), [old_rose_light](#), [orchid_bloom](#), [scooter](#), [scooter_light](#), [scooter_med](#), [slate](#), [sun_kissed](#), [suva_grey](#), [tango](#), [trolley_grey](#), [trolley_grey_light](#), [viking](#)

Index

* SIEI classic colors

- burnt_sienna, 4
- burnt_sienna_light, 5
- denim, 7
- denim_light, 8
- electric_indigo, 8
- genoa, 9
- genoa_light, 9
- golden_sand, 10
- golden_sand_light, 10
- hunter, 17
- hw_electric_indigo, 17
- hw_hunter, 18
- hw_lavender_haze, 18
- hw_midnight_blue, 19
- hw_orchid_bloom, 19
- hw_slate, 20
- hw_sun_kissed, 20
- hw_tango, 21
- hw_viking, 21
- lavender_haze, 22
- light_grey, 22
- matterhorn, 23
- midnight_blue, 23
- moody_blue, 24
- moody_blue_light, 24
- nero, 25
- old_rose_light, 26
- orchid_bloom, 26
- scooter, 43
- scooter_light, 43
- scooter_med, 44
- slate, 57
- sun_kissed, 58
- suva_grey, 59
- tango, 59
- trolley_grey, 60
- trolley_grey_light, 60
- viking, 65

whisper, 70

* USAID colors

- usaid_black, 61
- usaid_blue, 61
- usaid_darkgrey, 62
- usaid_lightblue, 62
- usaid_lightgrey, 63
- usaid_medblue, 63
- usaid_medgrey, 64
- usaid_red, 64

* Washington Post inspired

- wapo_dblue, 65
- wapo_dmauve, 66
- wapo_dorange, 66
- wapo_lblue, 67
- wapo_lgreen, 67
- wapo_lmauve, 68
- wapo_lorange, 68
- wapo_lorange2, 69
- wapo_lpurple, 69
- wapo_pushpop, 70

* datasets

- burnt_sienna, 4
- burnt_sienna_light, 5
- cascade, 5
- color_caption, 6
- color_gridline, 6
- color_plot_text, 6
- color_title, 7
- denim, 7
- denim_light, 8
- electric_indigo, 8
- genoa, 9
- genoa_light, 9
- golden_sand, 10
- golden_sand_light, 10
- grey10k, 11
- grey20k, 11
- grey30k, 12

grey40k, 12
 grey50k, 13
 grey60k, 13
 grey70k, 14
 grey80k, 14
 grey90k, 15
 hfr_mmd, 15
 hts, 16
 hts_geo, 16
 hunter, 17
 hw_electric_indigo, 17
 hw_hunter, 18
 hw_lavender_haze, 18
 hw_midnight_blue, 19
 hw_orchid_bloom, 19
 hw_slate, 20
 hw_sun_kissed, 20
 hw_tango, 21
 hw_viking, 21
 lavender_haze, 22
 light_grey, 22
 matterhorn, 23
 midnight_blue, 23
 moody_blue, 24
 moody_blue_light, 24
 nero, 25
 old_rose, 25
 old_rose_light, 26
 orchid_bloom, 26
 pantone_aqua_sky, 27
 pantone_blue_iris, 27
 pantone_blue_turquoise, 28
 pantone_cerulean, 28
 pantone_chili_pepper, 29
 pantone_classic_blue, 29
 pantone_emerald, 30
 pantone_fuchsia_rose, 30
 pantone_greenery, 31
 pantone_honeysuckle, 31
 pantone_illuminating, 32
 pantone_living_coral, 32
 pantone_marsala, 33
 pantone_mimosa, 33
 pantone_peach_fuzz, 34
 pantone_radiant_orchid, 34
 pantone_rose_quartz, 35
 pantone_sand_dollar, 35
 pantone_serenity, 36
 pantone_tangerine_tango, 36
 pantone_tigerlily, 37
 pantone_true_red, 37
 pantone_turquoise, 38
 pantone_ultimate_gray, 38
 pantone_ultra_violet, 39
 pantone_very_peri, 40
 pantone_viva_magenta, 40
 scooter, 43
 scooter_light, 43
 scooter_med, 44
 si_palettes, 47
 slate, 57
 sun_kissed, 58
 suva_grey, 59
 tango, 59
 trolley_grey, 60
 trolley_grey_light, 60
 usaid_black, 61
 usaid_blue, 61
 usaid_darkgrey, 62
 usaid_lightblue, 62
 usaid_lightgrey, 63
 usaid_medblue, 63
 usaid_medgrey, 64
 usaid_red, 64
 viking, 65
 wapo_dblue, 65
 wapo_dmauve, 66
 wapo_dorange, 66
 wapo_lblue, 67
 wapo_lgreen, 67
 wapo_lmauve, 68
 wapo_lorange, 68
 wapo_lorange2, 69
 wapo_lpurple, 69
 wapo_pushpop, 70
 whisper, 70

*** greys**

grey10k, 11
 grey20k, 11
 grey30k, 12
 grey40k, 12
 grey50k, 13
 grey60k, 13
 grey70k, 14
 grey80k, 14
 grey90k, 15

- * **pantone**
 - pantone_aqua_sky, 27
 - pantone_blue_iris, 27
 - pantone_blue_turquoise, 28
 - pantone_cerulean, 28
 - pantone_chili_pepper, 29
 - pantone_classic_blue, 29
 - pantone_emerald, 30
 - pantone_fuchsia_rose, 30
 - pantone_greenery, 31
 - pantone_honeysuckle, 31
 - pantone_illuminating, 32
 - pantone_living_coral, 32
 - pantone_marsala, 33
 - pantone_mimosa, 33
 - pantone_peach_fuzz, 34
 - pantone_radiant_orchid, 34
 - pantone_rose_quartz, 35
 - pantone_sand_dollar, 35
 - pantone_serenity, 36
 - pantone_tangerine_tango, 36
 - pantone_tigerlily, 37
 - pantone_true_red, 37
 - pantone_turquoise, 38
 - pantone_ultimate_gray, 38
 - pantone_ultra_violet, 39
 - pantone_very_peri, 40
 - pantone_viva_magenta, 40
- * **saving**
 - si_clear_preview, 44
 - si_preview, 48
 - si_save, 49
- burnt_sienna, 4, 5, 7–10, 17–26, 43, 44, 58–60, 65, 70
- burnt_sienna_light, 5, 5, 7–10, 17–26, 43, 44, 58–60, 65, 70
- cascade, 5
- color_caption, 6
- color_gridline, 6
- color_plot_text, 6
- color_title, 7
- denim, 5, 7, 8–10, 17–26, 43, 44, 58–60, 65, 70
- denim_light, 5, 7, 8, 8, 9, 10, 17–26, 43, 44, 58–60, 65, 70
- electric_indigo, 5, 7, 8, 8, 9, 10, 17–26, 43, 44, 58–60, 65, 70
- genoa, 5, 7–9, 9, 10, 17–26, 43, 44, 58–60, 65, 70
- genoa_light, 5, 7–9, 9, 10, 17–26, 43, 44, 58–60, 65, 70
- ggplot2::guides(), 45, 46
- golden_sand, 5, 7–10, 10, 17–26, 43, 44, 58–60, 65, 70
- golden_sand_light, 5, 7–10, 10, 17–26, 43, 44, 58–60, 65, 70
- grey10k, 11, 11, 12–15
- grey20k, 11, 11, 12–15
- grey30k, 11, 12, 12, 13–15
- grey40k, 11, 12, 12, 13–15
- grey50k, 11–13, 13, 14, 15
- grey60k, 11–13, 13, 14, 15
- grey70k, 11–14, 14, 15
- grey80k, 11–14, 14, 15
- grey90k, 11–14, 15
- hfr_mmd, 15
- hts, 16
- hts_geo, 16
- hunter, 5, 7–10, 17, 17, 18–26, 43, 44, 58–60, 65, 70
- hw_electric_indigo, 5, 7–10, 17, 17, 18–26, 43, 44, 58–60, 65, 70
- hw_hunter, 5, 7–10, 17, 18, 18, 19–26, 43, 44, 58–60, 65, 70
- hw_lavender_haze, 5, 7–10, 17, 18, 18, 19–26, 43, 44, 58–60, 65, 70
- hw_midnight_blue, 5, 7–10, 17–19, 19, 20–26, 43, 44, 58–60, 65, 70
- hw_orchid_bloom, 5, 7–10, 17–19, 19, 20–26, 43, 44, 58–60, 65, 70
- hw_slate, 5, 7–10, 17–20, 20, 21–26, 43, 44, 58–60, 65, 70
- hw_sun_kissed, 5, 7–10, 17–20, 20, 21–26, 43, 44, 58–60, 65, 70
- hw_tango, 5, 7–10, 17–21, 21, 22–26, 43, 44, 58–60, 65, 70
- hw_viking, 5, 7–10, 17–21, 21, 22–26, 43, 44, 58–60, 65, 70
- lavender_haze, 5, 7–10, 17–22, 22, 23–26, 43, 44, 58–60, 65, 70
- light_grey, 5, 7–10, 17–22, 22, 23–26, 43, 44, 58–60, 65, 70
- matterhorn, 5, 7–10, 17–23, 23, 24–26, 43, 44, 58–60, 65, 70

- midnight_blue, [5](#), [7–10](#), [17–23](#), [23](#), [24–26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- moody_blue, [5](#), [7–10](#), [17–24](#), [24](#), [25](#), [26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- moody_blue_light, [5](#), [7–10](#), [17–24](#), [24](#), [25](#), [26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- nero, [5](#), [7–10](#), [17–24](#), [25](#), [26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- old_rose, [25](#)
- old_rose_light, [5](#), [7–10](#), [17–26](#), [26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- orchid_bloom, [5](#), [7–10](#), [17–26](#), [26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- pantone_aqua_sky, [27](#), [27](#), [28–40](#)
- pantone_blue_iris, [27](#), [27](#), [28–40](#)
- pantone_blue_turquoise, [27](#), [28](#), [28](#), [29–40](#)
- pantone_cerulean, [27](#), [28](#), [28](#), [29–40](#)
- pantone_chili_pepper, [27–29](#), [29](#), [30–40](#)
- pantone_classic_blue, [27–29](#), [29](#), [30–40](#)
- pantone_emerald, [27–30](#), [30](#), [31–40](#)
- pantone_fuchsia_rose, [27–30](#), [30](#), [31–40](#)
- pantone_greenery, [27–31](#), [31](#), [32–40](#)
- pantone_honeysuckle, [27–31](#), [31](#), [32–40](#)
- pantone_illuminating, [27–32](#), [32](#), [33–40](#)
- pantone_living_coral, [27–32](#), [32](#), [33–40](#)
- pantone_marsala, [27–33](#), [33](#), [34–40](#)
- pantone_mimosa, [27–33](#), [33](#), [34–40](#)
- pantone_peach_fuzz, [27–34](#), [34](#), [35–40](#)
- pantone_radiant_orchid, [27–34](#), [34](#), [35–40](#)
- pantone_rose_quartz, [27–35](#), [35](#), [36–40](#)
- pantone_sand_dollar, [27–35](#), [35](#), [36–40](#)
- pantone_serenity, [27–35](#), [36](#), [37–40](#)
- pantone_tangerine_tango, [27–36](#), [36](#), [37–40](#)
- pantone_tigerlily, [27–37](#), [37](#), [38–40](#)
- pantone_true_red, [27–37](#), [37](#), [38–40](#)
- pantone_turquoise, [27–38](#), [38](#), [39](#), [40](#)
- pantone_ultimate_gray, [27–38](#), [38](#), [39](#), [40](#)
- pantone_ultra_violet, [27–39](#), [39](#), [40](#)
- pantone_very_peri, [27–40](#), [40](#)
- pantone_viva_magenta, [27–40](#), [40](#)
- scale_color_si, [41](#)
- scale_fill_si, [42](#)
- scooter, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- scooter_light, [5](#), [7–10](#), [17–26](#), [43](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- scooter_med, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [44](#), [58–60](#), [65](#), [70](#)
- si_clear_preview, [44](#), [48](#), [50](#)
- si_legend_color, [45](#)
- si_legend_fill, [46](#)
- si_pal, [46](#)
- si_palettes, [47](#)
- si_preview, [45](#), [48](#), [50](#)
- si_rampr, [47](#), [49](#)
- si_save, [45](#), [48](#), [49](#)
- si_style, [51](#)
- si_style(), [45](#), [46](#), [52–57](#)
- si_style_map, [52](#)
- si_style_nolines, [53](#)
- si_style_transparent, [53](#)
- si_style_void, [54](#)
- si_style_xgrid, [54](#)
- si_style_xline, [55](#)
- si_style_xyline, [56](#)
- si_style_ygrid, [56](#)
- si_style_yline, [57](#)
- slate, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [57](#), [58–60](#), [65](#), [70](#)
- sun_kissed, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58](#), [58](#), [59](#), [60](#), [65](#), [70](#)
- suva_grey, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58](#), [59](#), [59](#), [60](#), [65](#), [70](#)
- tango, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58](#), [59](#), [59](#), [60](#), [65](#), [70](#)
- trolley_grey, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58–60](#), [60](#), [65](#), [70](#)
- trolley_grey_light, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58–60](#), [60](#), [65](#), [70](#)
- usaid_black, [61](#), [61](#), [62–64](#)
- usaid_blue, [61](#), [61](#), [62–64](#)
- usaid_darkgrey, [61](#), [62](#), [62](#), [63](#), [64](#)
- usaid_lightblue, [61](#), [62](#), [62](#), [63](#), [64](#)
- usaid_lightgrey, [61–63](#), [63](#), [64](#)
- usaid_medblue, [61–63](#), [63](#), [64](#)
- usaid_medgrey, [61–64](#), [64](#)
- usaid_red, [61–64](#), [64](#)
- viking, [5](#), [7–10](#), [17–26](#), [43](#), [44](#), [58–60](#), [65](#), [70](#)
- wapo_dblue, [65](#), [66–70](#)
- wapo_dmauve, [65](#), [66](#), [66](#), [67–70](#)
- wapo_dorange, [65](#), [66](#), [66](#), [67–70](#)

wapo_lblue, *65–67, 67, 68–70*
wapo_lgreen, *65–67, 67, 68–70*
wapo_lmauve, *65–68, 68, 69, 70*
wapo_lorange, *65–68, 68, 69, 70*
wapo_lorange2, *65–69, 69, 70*
wapo_lpurple, *65–69, 69, 70*
wapo_pushpop, *65–69, 70*
whisper, *5, 7–10, 17–26, 43, 44, 58–60, 65, 70*